



TABLA DE PESO BARRA PERFORADA ACERO CARBONO ST - 52

Ext.	Int.	Espesor	Kg/m
30,0	20,0	5,0	3,2
32,0	25,0	3,5	2,8
-	20,0	6,0	4,3
-	18,0	7,0	4,8
-	16,0	8,0	5,3
36,0	28,0	4,0	3,5
-	25,0	5,5	4,6
-	20,0	8,0	6,2
-	16,0	10,0	7,2
38,0	25,4	6,3	5,1
40,0	32,0	4,0	4,0
-	28,0	6,0	5,6
-	25,0	7,5	6,7
-	20,0	10,0	8,3
45,0	36,0	4,5	5,0
-	32,0	6,5	6,9
-	30,0	7,5	7,8
-	28,0	8,5	8,6
-	25,0	10,0	9,7
-	20,0	12,5	10,8
50,0	40,0	5,0	6,2
-	36,0	7,0	8,3
-	32,0	9,0	10,2
-	30,0	10,0	11,1
-	25,0	12,5	12,5
56,0	45,0	5,5	7,7
-	40,0	8,0	10,6
-	36,0	10,0	12,7
-	28,0	14,0	15,7
57,0	42,8	7,1	9,0
-	41,0	8,0	10,0
-	37,0	10,0	11,9
-	32,0	12,5	14,1
-	28,6	14,2	15,4

Ext.	Int.	Espesor	Kg/m
-	25,0	16,0	16,7
63,0	45,0	9,0	13,4
-	40,0	11,5	15,8
-	36,0	13,5	17,8
-	32,0	15,5	19,6
70,0	60,0	5,0	8,3
-	58,0	6,0	9,8
-	54,0	8,0	12,6
-	53,0	8,5	13,3
-	50,0	10,0	16,6
-	48,0	11,0	17,3
-	45,0	12,5	18,3
-	42,0	14,0	20,9
-	35,0	17,5	23,3
71,0	56,0	7,5	13,2
-	50,0	10,5	16,9
-	45,0	13,0	20,1
-	40,0	15,5	22,9
-	36,0	17,5	24,9
75,0	60,0	7,5	14,0
-	56,0	9,5	17,2
-	50,0	12,5	20,8
-	45,0	15,0	24,0
-	40,0	17,5	26,8
80,0	67,0	6,5	13,2
-	63,0	8,5	16,8
-	60,0	10,0	19,3
-	56,0	12,0	21,7
-	50,0	15,0	26,0
-	45,0	17,5	29,1
-	40,0	20,0	32,0
85,0	70,0	7,5	16,1
-	67,0	9,0	18,9
-	65,0	10,0	20,7

Ext.	Int.	Espesor	Kg/m
-	61,0	12,0	23,3
-	55,0	15,0	28,0
85,0	50,0	17,5	31,5
-	45,0	20,0	34,6
-	40,0	22,5	37,5
90,0	75,0	7,5	17,1
-	71,0	9,5	21,1
-	70,0	10,0	22,1
-	67,0	11,5	24,1
-	63,0	13,5	27,5
-	60,0	15,0	30,0
-	56,0	17,0	33,1
-	50,0	20,0	37,3
-	45,0	22,5	40,5
95,0	82,0	6,5	14,6
-	80,0	7,5	18,1
-	77,0	9,0	21,4
-	75,0	10,0	23,5
-	70,0	12,5	27,5
-	69,0	13,0	28,4
-	67,0	14,0	30,2
-	63,0	16,0	33,7
-	59,0	18,0	36,9
-	56,0	19,5	39,2
-	50,0	22,5	43,5
-	45,0	25,0	46,6
100,0	85,0	7,5	19,2
-	80,0	10,0	24,9
-	75,0	12,5	29,1
-	71,0	14,5	33,0
-	63,0	18,5	40,2
-	56,0	22,0	45,7



TABLA DE PESO BARRA PERFORADA ACERO CARBONO ST - 52

Ext.	Int.	Espesor	Kg/m
108,0	100,0	4,0	10,6
-	95,4	6,3	16,3
-	92,0	8,0	20,3
-	88,0	10,0	24,9
-	83,0	12,5	30,3
-	76,0	16,0	37,4
-	72,0	18,0	41,2
-	68,0	20,0	44,7
-	67,0	20,5	45,6
-	58,0	25,0	52,7
-	52,0	28,0	56,9
110,0	84,0	13,0	32,0
112,0	95,0	8,5	24,3
-	90,0	11,0	29,6
-	85,0	13,5	35,4
-	80,0	16,0	40,9
-	71,0	20,5	50,0
-	63,0	24,5	57,1
118,0	100,0	9,0	27,1
-	95,0	11,5	32,6
-	90,0	14,0	38,8
-	85,0	16,5	44,6
-	80,0	19,0	50,1
-	63,0	27,5	63,7
121,0	111,0	5,0	14,7
-	105,0	8,0	23,0
-	101,0	10,0	28,2
-	99,0	11,0	30,8
-	96,0	12,5	34,5
-	85,0	18,0	47,1
-	81,0	20,0	51,3
-	71,0	25,0	61,0
125,0	107,0	9,0	28,8
-	105,0	10,0	31,8

Ext.	Int.	Espesor	Kg/m
-	100,0	12,5	37,5
-	95,0	15,0	44,0
-	90,0	17,5	50,1
-	80,0	22,5	61,4
-	71,0	27,0	70,5
127,0	118,0	4,5	14,0
-	111,0	8,0	24,2
-	107,0	10,0	29,7
-	105,0	11,0	32,4
-	102,0	12,5	36,4
-	98,6	14,2	40,7
-	95,0	16,0	45,1
-	87,0	20,0	54,4
-	77,0	25,0	64,8
-	67,0	30,0	73,9
132,0	106,0	13,0	41,2
-	98,0	17,0	52,1
-	91,4	20,3	56,7
-	90,0	21,0	62,1
-	80,8	25,6	72,6
-	80,0	26,0	73,4
-	71,0	30,5	82,5
-	70,2	30,9	77,9
133,0	125,0	4,0	13,1
-	124,0	4,5	14,7
-	123,0	5,0	16,3
-	120,4	6,3	20,3
-	117,0	8,0	25,4
-	113,0	10,0	31,3
-	108,0	12,5	38,3
-	104,6	14,2	42,9
-	103,0	15,0	45,0
-	101,0	16,0	47,6

Ext.	Int.	Espesor	Kg/m
-	98,0	17,5	51,4
-	93,0	20,0	57,4
-	83,0	25,0	68,6
-	73,0	30,0	78,5
140,0	122,0	9,0	32,6
-	118,0	11,0	37,8
-	112,0	14,0	47,0
-	90,0	25,0	76,6
146,0	124,0	11,0	37,7
-	121,0	12,5	42,4
-	117,6	14,2	47,5
-	114,0	16,0	52,9
-	101,6	22,2	69,8
146,0	86,0	30,0	88,4
150,0	136,0	7,0	27,7
-	130,0	10,0	38,7
-	125,0	12,5	45,8
-	118,0	16,0	57,1
-	112,0	19,0	66,3
-	106,0	22,0	75,0
-	95,0	27,5	89,7
-	80,0	35,0	107,2
159,0	146,0	6,5	25,2
-	144,8	7,1	27,4
-	143,0	8,0	30,7
-	138,0	10,5	39,6
-	137,0	11,0	41,4
-	134,0	12,5	46,5
-	127,0	16,0	58,1
-	124,0	17,5	62,9
-	119,0	20,0	70,6
-	109,0	25,0	85,1
-	99,0	30,0	98,3



TABLA DE PESO BARRA PERFORADA ACERO CARBONO ST - 52

Ext.	Int.	Espesor	Kg/m
-	89,0	35,0	110,3
-	79,0	40,0	120,9
160,0	140,0	10,0	38,1
-	132,0	14,0	54,6
-	122,0	19,0	71,4
-	112,0	24,0	87,0
-	100,0	30,0	103,9
-	95,0	32,5	110,4
-	90,0	35,0	116,5
170,0	150,0	10,0	44,2
-	145,0	12,5	52,4
-	140,0	15,0	61,9
-	130,0	20,0	79,9
-	118,0	26,0	99,7
-	110,0	30,0	111,9
-	100,0	35,0	125,9
180,0	160,0	10,0	47,0
-	155,0	12,5	55,8
-	150,0	15,0	65,9
-	145,0	17,5	75,8
-	140,0	20,0	85,2
-	125,0	27,5	111,7
-	112,0	34,0	132,2
-	100,0	40,0	149,2
190,0	170,0	10,0	49,7
-	165,0	12,5	59,1
-	160,0	15,0	69,9
-	155,0	17,5	80,4
-	150,0	20,0	90,8
-	146,0	22,0	98,5
-	132,0	29,0	124,4
-	118,0	36,0	147,7
-	106,0	42,0	165,6

Ext.	Int.	Espesor	Kg/m
200,0	160,0	20,0	95,9
-	140,0	30,0	135,9
-	112,0	44,0	182,9
203,0	187,0	8,0	39,6
-	183,0	10,0	49,0
-	178,0	12,5	60,5
-	176,0	13,5	65,0
-	174,0	14,2	68,1
-	171,0	16,0	76,0
-	168,0	17,5	82,5
-	163,0	20,0	93,0
-	158,6	22,2	102,0
-	153,0	25,0	113,1
-	143,0	30,0	131,9
-	133,0	35,0	149,4
-	123,0	40,0	165,6
212,0	180,0	16,0	83,5
-	175,0	18,5	95,4
-	170,0	21,0	106,9
-	150,0	31,0	149,5
-	125,0	43,5	195,3
216,0	197,0	9,5	49,8
-	195,0	10,5	54,8
-	184,0	16,0	81,3
224,0	204,0	10,0	59,1
-	194,0	15,0	83,5
-	180,0	22,0	118,4
-	160,0	32,0	163,7
-	132,0	46,0	218,1
-	125,0	49,5	230,1
229,0	209,0	10,0	55,6
-	203,0	13,0	71,3
-	200,0	14,5	79,0

Ext.	Int.	Espesor	Kg/m
-	197,0	16,0	86,6
236,0	204,0	16,0	93,8
-	196,0	20,0	115,1
-	190,0	23,0	130,5
-	170,0	33,0	178,5
-	140,0	48,0	240,4
250,0	200,0	25,0	149,9
-	150,0	50,0	266,4
254,0	234,0	10,0	62,0
-	229,0	12,5	76,7
-	222,0	16,0	96,8
-	214,0	20,0	118,9
-	204,0	25,0	145,5
-	200,0	27,0	155,7
-	196,0	29,0	165,8
-	174,0	40,0	217,5
-	164,0	45,0	238,9
-	154,0	50,0	259,1
273,0	257,0	8,0	53,9
-	253,0	10,0	65,8
-	248,0	12,5	82,7
-	241,0	16,0	104,5
-	238,0	17,5	113,6
-	233,0	20,0	128,6
-	223,0	25,0	157,5
-	213,0	30,0	185,2
-	203,0	35,0	211,6
273,0	193,0	40,0	236,8
-	173,0	50,0	283,3
-	153,0	60,0	324,7
-	143,0	65,0	343,5
-	133,0	70,0	361,0